



Make savings appear out of thin air with a Midea heat pump



Heat Pump Selection

HP170

170L Capacity

No. of Persons	Cold	Climate Warm	— Hot
ŤŤ	170	170	170
iii	280	170/280	170
****	280	170/280	170/280
iiiii	-	280	280
*****	-	280	280
To be used as a	guide onl	У	

HP280

280L Capacity



Smart Technology

With a Midea heat pump, set up and operation monitoring is made simple thanks to an amazing, in built user-friendly controller.

Operational modes

ECO (Heat Pump Only) mode: The standard mode where the highest efficiency is achieved

Hybrid Mode: The Heat Pump & E-heater operate together to ensure the set temperature is achieved

E-Heater: When the air temperature drops to below 5°C, the heat pump will automatically select E-heater mode for an electric hot water boost

Features



Modern & Stylish
A stylish slim line single
piece unit incorporates a
top-mounted compressor

with compact footprint



Highly Efficient
Produces significantly
more heat energy than
the power input; saving
on purchased energy



Wide Operating Range
Operates as low as 5°C
in ECO mode & between
-20°C & 45°C with
additional E-heat boost



HP170

Tank-Wrapped Condenser Coil For efficient heat transfer & preventing water contamination



Handy Controller
Providing intuitive
operation & helpful
functions such as temp
setting, timer & safety lock



Built in Frost
Protection
Protecting the condenser
from icing for complete
peace of mind



Auto Disinfection[^]
Periodically heating the water beyond its set temp to prevent the growth of bacteria and legionella



Power Outage Memory Settings are retained in the event of a power

Smart Technology

Heat pumps utilise an ingenious technology to efficiently transfer thermal energy directly from the surrounding air and into the water, and so do not rely on direct sun or fossil fuels to provide an energy source.

USES UP TO Harvest the free energy from our plentiful air to

heat your water with the advanced Midea heat pump from Midea store. This renewable energy

water heating technology uses up to 65% less

energy¹ than a conventional water heater, whilst

providing reliable hot water all day and night.




Did you know?

A heat pump is like an energy multiplier. From 1 kW of power input, it can create over 4 kW's of output heat². That's a performance efficiency of a remarkable 400%. Where as conventional electric storage water heaters can only convert 1 kW of input power into a maximum of 1 kW of output heat.

Energy Efficiency

Did you know?

Water heating accounts for nearly a quarter of the energy use and greenhouse gas emissions in the average Australian home.



*Estimation based on HP280 (RSJ-35/300RDN3) STC's in Zone 3 under medium load, obtained from independent laboratory test results and followed by TRNSYS modelling and a retail electricity cost of \$0.30c per kWh. An energy efficient hot water system such as the Midea heat pump is a great way for households to make substantial reductions in their energy consumption and cost of

A heat pump provides a quick and easy replacement of your old energy-hungry electric water heater, whilst also reducing CO₂ emissions by over 4 tonnes, and saving you up to \$930* per year.

How it Works

- A fan draws in air, containing heat energy, across the evaporator
- 2. The evaporator turns the liquid refrigerant into a gas
- 3. The compressor pressurises the refrigerant into a hot gas
- The hot gas inside the condenser coil heats the water inside the coil-wrapped tank
- 5. The refrigerant reverts back to a liquid after heating the water and continues to the evaporator for the process to start again



¹ Energy use reduction based on CER (AS/NZS 4234) modelling, in Zone 3.² Average COP is 3.72 based on AS/NZS 5125 test condition 2. ^Applicable to HP280 model only. Images indicative only - Actual product configuration may differ

Product Specifications



Heat Pump Model	HP170	HP280
Nominal volume capacity (L)	170	280
Voltage / Hz / Phase	220-240 / 50 / 1	220-240 / 50 / 1
Element input power (W)	2150	3000
Heating capacity - Heat Pump Only (W)	1500	2000
Max water temperature (°C)	65	60
Max rated input power (W) / current (A)	2780 / 12.1	4000 / 17.3
Relief valve pressure (kPa)	1000	1000
Net Weight (kg)	90	154
Pipe connection diameter (mm)	DN20	DN20
Cylinder Type	Vitreous Enamel	Vitreous Enamel
Outdoor resistance class	IP24	IP24
Operating Mode Function	Manual	Manual
Refrigerant type/quantity	R134a / 0.8kg	R134a / 1.6kg

Australian Standard AS/NZS 2712





Residential Warranty

5 Year Tank Cylinder (3 Year Labour) 3 Year Compressor (1 Year Labour)

1 Year Electronics, Parts & Labour



280L Installed Unit

The highly energy efficient
Midea hot water heat pumps qualifies
to generate Small-scale Technology
Certificates (STCs) under the Federal
Government RET scheme and so
Australian consumers can use these
to reduce the point of sale price
of their heat pump.

Why Choose Midea:





- Established since 1968
- No. 312 on the 2019 Fortune Global 500 list
- Providing services to 300 million users globally





09:30 am to 17:30 pm (UTC+11), Monday to Friday (excluding public holidays in Australia)