

## MHC60GSS

### 60cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter



#### Benefits

**Max air flow 800m<sup>3</sup>/h**

**Ducted and recirculated-air operation**

**Aluminium grease filter**

**Front vented**

**3 Speed levels**



60cm size



Max.  
Noise Level



Recirculation  
Option



Lights

#### Main Features

<b>Type:</b>	Flat glass canopy
<b>Colour:</b>	Stainless steel
<b>Control Type:</b>	Push button
<b>Operation Levels:</b>	3 speed levels
<b>Lighting:</b>	2 x LED bulbs
<b>Filtration:</b>	1 x Aluminium filter
<b>Air Extraction:</b>	800m <sup>3</sup> /h max air flow
<b>Noise Level High:</b>	72dBA
<b>Voltage:</b>	220-240V
<b>Frequency:</b>	50HZ
<b>Supply Cord &amp; Plug:</b>	1.85m with 10Amp plug
<b>Ducting:</b>	Yes
<b>Recirculation:</b>	Yes

#### Included

**1 Aluminium grease filter**

## MHC60GSS

### 60cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter

#### Dimensions & Weights

Unpackaged Height:	448mm
Unpackaged Width:	600mm
Unpackaged Depth:	500mm
Unpackaged Weight:	13.8kg
Packaged Height:	578mm
Packaged Width:	660mm
Packaged Depth:	435mm
Packaged Weight:	16.3kg

Country of Origin:	China
EAN Code:	6959449103510
Manufacturer's Warranty:	3 years

## MHC60GSS

### 60cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter

#### Dimensions

